


**The site (1):  
Controlled  
temperature  
detail**



**1.- Inbound area**  
445 sqm  
Height 3.5 m  
0-15 degrees  
7 docks

**1.- Chamber 1**  
990 sqm  
Height 8.5 m  
0-15 degrees  
Racks - 496 pallets  
Picking Shelves - 264

**2.- Chamber 2**  
552 sqm  
Height 6.0 m  
0-15 degrees  
Humidity control  
Racks - 270 pallets  
Picking Shelves - 31

**3.- Chamber 3**  
540 sqm  
Height 6,0 m  
0-15 degrees  
Humidity control  
Racks - 120 pallets  
Picking Shelves - 156

**4.- Chamber 4**  
550 sqm  
Height 6,0 m  
0-15 degrees  
Racks - 369 pallets  
Picking Shelves - 30


**5.- Frozen Chamber**  
600 sqm  
Height 6.0 m  
-25 degrees  
Racks - 342 pallets  
Picking Shelves - 70

**6.- Expedition area**  
700 sqm  
Height 6.0 m  
0-15 degrees  
Picking Shelves  
Flow-shelves

**7.- Loading area**  
400 sqm  
Height 6.0 m  
Ambient temp  
2 floor-level x-large gates

**The site (2):  
Product  
manipulation  
area**

300 sqm, 3,5 m height area,  
totally isolated, composed with  
several chambers at different  
controlled-temperatures  
(including a 12 sqm freezer)  
enabled with quality and  
food-safety requirements for  
product manipulation



## The site (3): Ambient area

**1.- Module-1**  
3.370 sqm  
Height 12 m  
7 docks  
Racks - 1.692 pallets  
Picking Shelves - 210

**2.- Module-2**  
2.740 sqm  
Height 12 m  
2 docks  
2 floor-level x-large gates  
Racks - 1.314 pallets  
Flow expedition shelves - 312  
Picking shelves - 102

